



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

DHL Express 552 3246 886

Applicant: Peter Offermann, et al.

Serial No: 10/799,329

U.S. Filed: 3/12/2004

Title: Support Material for Tissue Engineering, for Producing Implants or
Implant Materials, and an Implant Produced with the Support Material

**Commissioner for Patents
Alexandria, VA 22313-1450**

PRELIMINARY AMENDMENT

Prior to the first office action, please amend the instant application as follows:

IN THE SPECIFICATION:

Please substitute the attached amended paragraphs of pages 1, 2, 10, 11 for the corresponding paragraphs of the literal translation submitted concurrently.

Please substitute the enclosed Abstract of the Disclosure for the Abstract of the literal translation.

IN THE CLAIMS:

Claims 1 through 15 of the literal translation are cancelled.

Please add the attached new claims 16-43 to the specification.

Replacement Page 1, 1st Paragraph

BACKGROUND OF THE INVENTION

The invention relates to a support material for tissue culture and cell culture (tissue engineering) for the production of implant materials, in particular bone, cartilage or skin replacements or extra-corporal organ replacements or for other applications in medicine or biotechnology. The invention further relates to an implant produced with the scaffold.

Replacement Page 2, 2nd Full Paragraph

SUMMARY OF THE INVENTION

An object of the present invention is to provide a further support material for tissue culture and cell culture and for the production of implant materials and implants, respectively, and an implant produced from the support material.

Replacement Page 10, 5th Full Paragraph

BRIEF DESCRIPTION OF THE DRAWINGS

The invention is illustrated in more detail with the aid of the following drawings and examples. It is shown in:

Replacement Page 11, Paragraph (Lines 13-14)

DESCRIPTION OF PREFERRED EMBODIMENTS

The scaffold represented in Fig. 1 consists of a flat base material 1, which is coated with an adhesive layer 2 on one side and electrostatically flocked with fibers 3 that are 1 mm long.